

Lantern Support Post

U.S. Patent Application of:
Edmund Chan.

"Express mail" mailing label number

Date of Deposit:

I hereby certify that this correspondence, including the attachments listed on the accompanying New Utility Patent Application Transmittal, is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date indicated above and is addressed to the Commissioner of Patents and Trademarks, Washington, D.C. 20231.

(Typed or printed name of person mailing paper or fee)

(Signature of person mailing paper or fee)

Title of the Invention

Lantern Support Post

Cross Reference to Related Applications

Not Applicable

Statement Regarding Federally Sponsored Research or Development

Not Applicable

Description of Attached Appendix

Not Applicable

Background of the Invention

This invention relates generally to the field of lantern accessories and more specifically to a lantern support post.

Camping lanterns are well known. They are used to shed light in darkened conditions in an area that has no provision for standard electric lamps. Camping lanterns come equipped with a handle the is located near the top of the lantern. It is generally a wire form that is crescent shaped where each end of the wire is bent inward to engage an aperture in the lantern thereby allowing the handle to rotate in a desired position.

The handle allows the user to carry the lantern as well as to hang the lantern on the branch of a tree or the like thereby gaining maximum illuminating effect of the lantern.

However, in some camping conditions, there are no convenient trees or other hanging

means in the local vicinity thereby making it difficult to suspend the lantern in a high enough location to maximize its ability to illuminate.

Brief Summary of the Invention

The primary object of the invention is to provide a support for a camping lantern so that it can be hung independently at a camp site or the like.

Another object of the invention is to provide a support for a camping lantern that can easily adapt to holding a variety of styles of lanterns.

Another object of the invention is to provide a support for a camping lantern that can be assembled from a plurality of poles so that it can be compactly stored and shipped.

A further object of the invention is to provide a support for a camping lantern that is easy to install.

Yet another object of the invention is to provide a support for a camping lantern that is easy to clean.

Other objects and advantages of the present invention will become apparent from the following descriptions, taken in connection with the accompanying drawings, wherein, by way of illustration and example, an embodiment of the present invention is disclosed.

In accordance with a preferred embodiment of the invention, there is disclosed a lantern support post comprising: an upper support post, a lower support post, a friction sleeve, a ground stake tube, said upper support post being rigid and tubular and having a centrally located slit in a parallel disposition to the top of said upper support

post, said lower support post being rigid and tubular and having a reduced connection portion at its top that slidably engages with the bottom of said upper support post, said support stake being rigid and capable of being driven into the ground, the top of said support stake capable of slidably inserting into the bottom of said lower support post, and said friction sleeve capable of frictionally sliding onto said upper support post so that it can be adjusted to support the bottom lip of a standard camping lantern.

Brief Description of the Drawings

The drawings constitute a part of this specification and include exemplary embodiments to the invention, which may be embodied in various forms. It is to be understood that in some instances various aspects of the invention may be shown exaggerated or enlarged to facilitate an understanding of the invention.

Figure 1 is a side view of the present invention.

Figure 2 is a side view of the ground stake of the present invention.

Detailed Description of the Preferred Embodiments

Detailed descriptions of the preferred embodiment are provided herein. It is to be understood, however, that the present invention may be embodied in various forms. Therefore, specific details disclosed herein are not to be interpreted as limiting, but rather as a basis for the claims and as a representative basis for teaching one skilled in the art to employ the present invention in virtually any appropriately detailed system, structure or manner.

Referring now to Figure 1 we see a side view of the lantern support post of the present invention 100. The upper support post 2 has a slit 4 at the top that is capable of removably retaining the handle 6 of a standard lantern 8. The upper support post is made of a rigid tube, for example aluminum or the like. A friction ring 14 is molded of a rigid plastic and because the ring 14 is slit 30, it has the ability to spring slightly so that when it slides onto upper support post 2, it remains in place without additional help. The friction ring is preferably made from a plastic such as nylon that remains springy and does not take a cold set. The ability to slide the friction ring 14 to any desired height on post 2 means that it can be adjusted to act as a ledge for the bottom edge of a standard lantern. The ledge portion of the friction ring may be slightly extended to further insure that it supports the bottom of the lantern 8. Lower support post 16 plugs into upper support post 2 by means of a reduced section 18 that is capable of sliding into the bottom of the upper post 2. A ground stake 22 and ground stake top cap 20 is shown in partial view. the lower support post 16 can slide onto the outside of ground stake 22 thereby holding the invention 100 in an upright position. Figure 2 shows a side

view of the complete ground stake 22 and stake cap 20. The ground stake 22 is made of rigid tubular material such as aluminum or steel or the like and has a sharpened bottom edge 26 to allow the ground stake to be driven into the ground more easily. Ground stake cap 20 is inserted into the top of the ground stake and is made of tough rigid plastic such as ABS or nylon that can absorb the blows of a hammer without becoming distorted. A central aperture in ground stake cap 20 allows the user to clean out any dirt that may have collected in the ground stake 22. By using the present invention 100 the user can hang a lantern at an acceptable height so that light emanating from the lantern 10 can effectively illuminate a camping area. The present invention 100 can be disassembled for easy and compact transportation and storage. The overall assembly 100 is light weight and economical to produce.

While the invention has been described in connection with a preferred embodiment, it is not intended to limit the scope of the invention to the particular form set forth, but on the contrary, it is intended to cover such alternatives, modifications, and equivalents as may be included within the spirit and scope of the invention as defined by the appended claims.